



LacasseOfficeFurniture.com 201-254-0145

Groupe Lacasse Half Price Sale On Now

Take Half Off the List Prices in this PDF

Call 201-254-0145 Now

Free Layout & Design Service

Options Series




OPTIONS



EDGE-BANDING

Furniture with 1" (25 mm) thick tops

Edge - 1" (25 mm)




Smooth, 1/16" (1,5 mm) thick edge.

The edge is matched with the finish specified for the surface.

Furniture with 1 1/2" (38 mm) thick tops

Edge - 1 1/2" (38 mm)



HANDLES

A choice of metal handles or a linear thermoplastic pull is offered.



B - Curved



L - Linear



Z - Straight

ACCENT COLORS



S - Silver



A - Anthracite Grey

Exception: Wardrobes with single door are only available with B and Z handles.

Exception: Furniture with doors or aluminum kickplate are available in Silver anodized aluminum only.

LEG PANEL OPTIONS FOR DT, AT, CM, ETC.

- A Two full-width leg panels
- B One full-width leg panel and one recessed
- C Two recessed leg panels
- D Two full-width leg panels, one with wiring access
- E Two full-width leg panels with wiring access
- F One full-width leg panel and one recessed with wiring access

MATERIALS


- **Thermofused laminate furniture:**
See prices shown in the "All Laminate" column. Surface material and thickness must be specified in the code.
- **Furniture with tops in high-pressure laminate, the rest in thermofused laminate:**
See prices shown in the "HPL Surfaces" column. Surface material and thickness must be specified in the code.

CODIFICATION

Series	Options		
	Thickness	Handles	Accent color
0	1 Thermofused laminate 1"	B Curved L Linear Z Straight	A Anthracite Grey S Silver
	2 High-pressure laminate 1"		
	5 Thermofused laminate 1 1/2"		
	6 High-pressure laminate 1 1/2"		

ELECTRIFICATION OF FREESTANDING FURNITURE


Electricom II System is fully compatible with Options collection to enable the electrification and communication of Options freestanding furniture. Refer to the Electricom II System section on page 103.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
	<i>2 pedestals with locks. 2 box drawers and 3 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.</i>				
	84 x 42 x 29	2100 x 1050 x 738	0___-UF4284FFA	3,322	3,845
	72 x 42 x 29	1800 x 1050 x 738	0___-UF4272FFA	3,136	3,666
	66 x 36 x 29	1650 x 900 x 738	0___-UF3666FFA	3,053	3,580

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

84 x 42 x 29 1/2	2100 x 1050 x 751	0___-UF4284FFA	3,666	4,197
72 x 42 x 29 1/2	1800 x 1050 x 751	0___-UF4272FFA	3,496	4,022
66 x 36 x 29 1/2	1650 x 900 x 751	0___-UF3666FFA	3,400	3,932


Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
	<i>2 pedestals with locks. 2 box drawers and 3 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.</i>				
	84 x 36 x 29	2100 x 900 x 738	0___-UF3684FF	2,949	3,394
	72 x 36 x 29	1800 x 900 x 738	0___-UF3672FF	2,774	3,227
	72 x 30 x 29	1800 x 750 x 738	0___-UF3072FF	2,683	3,128
	66 x 30 x 29	1650 x 750 x 738	0___-UF3066FF	2,594	3,015
	60 x 30 x 29	1500 x 750 x 738	0___-UF3060FF	2,504	2,909

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Double pedestal desks (cont'd)</i>	84 x 36 x 29 1/2	2100 x 900 x 751	0___-UF3684FF	3,273	3,796
	72 x 36 x 29 1/2	1800 x 900 x 751	0___-UF3672FF	3,095	3,618
	72 x 30 x 29 1/2	1800 x 750 x 751	0___-UF3072FF	3,015	3,532
	66 x 30 x 29 1/2	1650 x 750 x 751	0___-UF3066FF	2,926	3,400
	60 x 30 x 29 1/2	1500 x 750 x 751	0___-UF3060FF	2,829	3,305

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
	<i>2 pedestals with locks. 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.</i>				
	84 x 42 x 29	2100 x 1050 x 738	0___-F4284FA	2,787	3,322
	72 x 42 x 29	1800 x 1050 x 738	0___-F4272FA	2,614	3,136
66 x 36 x 29	1650 x 900 x 738	0___-F3666FA	2,523	3,053	

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

84 x 42 x 29 1/2	2100 x 1050 x 751	0___-F4284FA	3,136	3,666
72 x 42 x 29 1/2	1800 x 1050 x 751	0___-F4272FA	2,965	3,496
66 x 36 x 29 1/2	1650 x 900 x 751	0___-F3666FA	2,878	3,400

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).



Double pedestal desks

2 pedestals with locks. 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
84 x 36 x 29	2100 x 900 x 738	O___-F3684F	2,425	2,869
72 x 36 x 29	1800 x 900 x 738	O___-F3672F	2,241	2,693
72 x 30 x 29	1800 x 750 x 738	O___-F3072F	2,161	2,604
66 x 30 x 29	1650 x 750 x 738	O___-F3066F	2,062	2,481
60 x 30 x 29	1500 x 750 x 738	O___-F3060F	1,983	2,376

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

84 x 36 x 29½	2100 x 900 x 751	O___-F3684F	2,749	3,262
72 x 36 x 29½	1800 x 900 x 751	O___-F3672F	2,571	3,089
72 x 30 x 29½	1800 x 750 x 751	O___-F3072F	2,481	2,997
66 x 30 x 29½	1650 x 750 x 751	O___-F3066F	2,393	2,878
60 x 30 x 29½	1500 x 750 x 751	O___-F3060F	2,305	2,774

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Bow front single pedestal desks

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

72 x 42 x 29	1800 x 1050 x 738	O___-UF4272SA	2,449	2,934
--------------	-------------------	---------------	-------	-------

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

72 x 42 x 29½	1800 x 1050 x 751	O___-UF4272SA	2,787	3,350
---------------	-------------------	---------------	-------	-------

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Bow front single pedestal desks

1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

72 x 42 x 29	1800 x 1050 x 738	O___-S4272UFA	2,449	2,934
--------------	-------------------	---------------	-------	-------

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

72 x 42 x 29½	1800 x 1050 x 751	O___-S4272UFA	2,787	3,350
---------------	-------------------	---------------	-------	-------

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Single pedestal desks

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

72 x 36 x 29	1800 x 900 x 738	O___-UF3672S	2,062	2,433
72 x 30 x 29	1800 x 750 x 738	O___-UF3072S	1,983	2,337
66 x 30 x 29	1650 x 750 x 738	O___-UF3066S	1,892	2,217
60 x 30 x 29	1500 x 750 x 738	O___-UF3060S	1,806	2,111

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	O___-UF3672S	2,362	2,780
72 x 30 x 29½	1800 x 750 x 751	O___-UF3072S	2,264	2,693
66 x 30 x 29½	1650 x 750 x 751	O___-UF3066S	2,184	2,571
60 x 30 x 29½	1500 x 750 x 751	O___-UF3060S	2,106	2,474

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Single pedestal desks

1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

72 x 36 x 29	1800 x 900 x 738	O___-S3672UF	2,062	2,433
72 x 30 x 29	1800 x 750 x 738	O___-S3072UF	1,983	2,337
66 x 30 x 29	1650 x 750 x 738	O___-S3066UF	1,892	2,217
60 x 30 x 29	1500 x 750 x 738	O___-S3060UF	1,806	2,111

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	O___-S3672UF	2,362	2,780
72 x 30 x 29½	1800 x 750 x 751	O___-S3072UF	2,264	2,693
66 x 30 x 29½	1650 x 750 x 751	O___-S3066UF	2,184	2,571
60 x 30 x 29½	1500 x 750 x 751	O___-S3060UF	2,106	2,474

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Bow front single pedestal desks

1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

72 x 42 x 29	1800 x 1050 x 738	O___-F4272SA	2,184	2,614
--------------	-------------------	--------------	-------	-------

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

72 x 42 x 29½	1800 x 1050 x 751	O___-F4272SA	2,466	2,957
---------------	-------------------	--------------	-------	-------

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Bow front single pedestal desks

1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

72 x 42 x 29	1800 x 1050 x 738	O___-S4272FA	2,184	2,614
--------------	-------------------	--------------	-------	-------

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

72 x 42 x 29½	1800 x 1050 x 751	O___-S4272FA	2,466	2,957
---------------	-------------------	--------------	-------	-------

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Single pedestal desks

1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

72 x 36 x 29	1800 x 900 x 738	O___-F3672S	1,806	2,167
72 x 30 x 29	1800 x 750 x 738	O___-F3072S	1,716	2,081
66 x 30 x 29	1650 x 750 x 738	O___-F3066S	1,628	1,950
60 x 30 x 29	1500 x 750 x 738	O___-F3060S	1,546	1,854

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	O___-F3672S	2,095	2,514
72 x 30 x 29½	1800 x 750 x 751	O___-F3072S	2,008	2,433
66 x 30 x 29½	1650 x 750 x 751	O___-F3066S	1,918	2,305
60 x 30 x 29½	1500 x 750 x 751	O___-F3060S	1,847	2,210

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Single pedestal desks

1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

72 x 36 x 29	1800 x 900 x 738	O___-S3672F	1,806	2,167
72 x 30 x 29	1800 x 750 x 738	O___-S3072F	1,716	2,081
66 x 30 x 29	1650 x 750 x 738	O___-S3066F	1,628	1,950
60 x 30 x 29	1500 x 750 x 738	O___-S3060F	1,546	1,854


Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Single pedestal desks (cont'd)	72 x 36 x 29½	1800 x 900 x 751	O_ _ -S3672F	2,095	2,514
	72 x 30 x 29½	1800 x 750 x 751	O_ _ -S3072F	2,008	2,433
	66 x 30 x 29½	1650 x 750 x 751	O_ _ -S3066F	1,918	2,305
	60 x 30 x 29½	1500 x 750 x 751	O_ _ -S3060F	1,847	2,210

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Desk shells



Recessed, full-height modesty panel. Full-width wire access. Can accommodate 1 or 2 pedestals.

72 x 36 x 29	1800 x 900 x 738	O_N_-TDM3672	1,182	1,660
72 x 30 x 29	1800 x 750 x 738	O_N_-TDM3072	1,102	1,557
66 x 30 x 29	1650 x 750 x 738	O_N_-TDM3066	1,054	1,475
60 x 30 x 29	1500 x 750 x 738	O_N_-TDM3060	1,015	1,419

Specify the surface type (1, 2). Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	O_N_-TDM3672	1,364	1,910
72 x 30 x 29½	1800 x 750 x 751	O_N_-TDM3072	1,289	1,814
66 x 30 x 29½	1650 x 750 x 751	O_N_-TDM3066	1,225	1,725
60 x 30 x 29½	1500 x 750 x 751	O_N_-TDM3060	1,182	1,660

Specify the surface type (5, 6). Specify the accent color (A, S).

Corner modules



To attach to a work surface. Keyboard surface adjusts from 6½" below surface to 7" above surface with a tilt angle of +/- 15 degrees. Adjustable keyboard surface is 1" thick. Grommet. Full-width wiring access on both back panels. Mechanism packaged separately.

Diagonal wood grain:
change last S to D, add 10% to the price.




With adjustable keyboard surface.

48 x 48 x 29	1200 x 1200 x 738	O_N_-CMS4830SC	2,577	2,973
42 x 42 x 29	1050 x 1050 x 738	O_N_-CMS4224SC	2,474	2,805


Specify the surface type (1, 2). Specify the accent color (A, S).

48 x 48 x 29½	1200 x 1200 x 751	O_N_-CMS4830SC	3,021	3,205
42 x 42 x 29½	1050 x 1050 x 751	O_N_-CMS4224SC	2,918	3,102

Specify the surface type (5, 6). Specify the accent color (A, S).



To attach to a work surface. Grommet. Full-width wiring access on both back panels.




48 x 48 x 29	1200 x 1200 x 738	O_N_-CM4830S	1,219	1,716
42 x 42 x 29	1050 x 1050 x 738	O_N_-CM4224S	1,080	1,506
36 x 36 x 29	900 x 900 x 738	O_N_-CM3618SC	1,047	1,467

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

48 x 48 x 29½	1200 x 1200 x 751	O_N_-CM4830S	1,434	2,014
42 x 42 x 29½	1050 x 1050 x 751	O_N_-CM4224S	1,289	1,806
36 x 36 x 29½	900 x 900 x 751	O_N_-CM3618SC	1,193	1,676

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

Left extended corner modules



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Grommet. Full-width wiring access on both back panels.</i>				
		Surface	R1	R2
		72"/48"	29½" (750 mm)	5½" (150 mm)
		66"/48"	23½" (600 mm)	5½" (150 mm)
		60"/48"	17½" (450 mm)	5½" (150 mm)
		72"/42"	29½" (750 mm)	
		66"/42"	23½" (600 mm)	
		60"/42"	17½" (450 mm)	
		72"/36"	17½" (450 mm)	
		66"/36"	11¾" (300 mm)	
		60"/36"	5½" (150 mm)	


72 x 48 x 29	1800 x 1200 x 738	O_N_-CM724824_	1,690	2,371
66 x 48 x 29	1650 x 1200 x 738	O_N_-CM664824_	1,605	2,241
60 x 48 x 29	1500 x 1200 x 738	O_N_-CM604824_	1,506	2,118
72 x 42 x 29	1800 x 1050 x 738	O_N_-CM724224_	1,605	2,241
66 x 42 x 29	1650 x 1050 x 738	O_N_-CM664224_	1,506	2,118
60 x 42 x 29	1500 x 1050 x 738	O_N_-CM604224_	1,426	2,001
72 x 36 x 29	1800 x 900 x 738	O_N_-CM723624_	1,506	2,118
66 x 36 x 29	1650 x 900 x 738	O_N_-CM663624_	1,355	1,904
60 x 36 x 29	1500 x 900 x 738	O_N_-CM603624_	1,274	1,772

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

72 x 48 x 29½	1800 x 1200 x 751	O_N_-CM724824_	1,950	2,739
66 x 48 x 29½	1650 x 1200 x 751	O_N_-CM664824_	1,869	2,614
60 x 48 x 29½	1500 x 1200 x 751	O_N_-CM604824_	1,772	2,491
72 x 42 x 29½	1800 x 1050 x 751	O_N_-CM724224_	1,869	2,614
66 x 42 x 29½	1650 x 1050 x 751	O_N_-CM664224_	1,772	2,491
60 x 42 x 29½	1500 x 1050 x 751	O_N_-CM604224_	1,690	2,371
72 x 36 x 29½	1800 x 900 x 751	O_N_-CM723624_	1,635	2,296
66 x 36 x 29½	1650 x 900 x 751	O_N_-CM663624_	1,557	2,175
60 x 36 x 29½	1500 x 900 x 751	O_N_-CM603624_	1,452	2,029

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

Right extended corner modules



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Grommet. Full-width wiring access on both back panels.</i>				
		Surface	R1	R2
		72"/48"	29½" (750 mm)	5½" (150 mm)
		66"/48"	23½" (600 mm)	5½" (150 mm)
		60"/48"	17½" (450 mm)	5½" (150 mm)
		72"/42"	29½" (750 mm)	
		66"/42"	23½" (600 mm)	
		60"/42"	17½" (450 mm)	
		72"/36"	17½" (450 mm)	
		66"/36"	11¾" (300 mm)	
		60"/36"	5½" (150 mm)	


72 x 48 x 29	1800 x 1200 x 738	O_N_-CM487224_	1,690	2,371
66 x 48 x 29	1650 x 1200 x 738	O_N_-CM486624_	1,605	2,241
60 x 48 x 29	1500 x 1200 x 738	O_N_-CM486024_	1,506	2,118
72 x 42 x 29	1800 x 1050 x 738	O_N_-CM427224_	1,605	2,241
66 x 42 x 29	1650 x 1050 x 738	O_N_-CM426624_	1,506	2,118
60 x 42 x 29	1500 x 1050 x 738	O_N_-CM426024_	1,426	2,001
72 x 36 x 29	1800 x 900 x 738	O_N_-CM367224_	1,506	2,118
66 x 36 x 29	1650 x 900 x 738	O_N_-CM366624_	1,355	1,904
60 x 36 x 29	1500 x 900 x 738	O_N_-CM366024_	1,274	1,772

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right extended corner modules (cont'd)	72 x 48 x 29½	1800 x 1200 x 751	O_N_-CM487224_	1,950	2,739
	66 x 48 x 29½	1650 x 1200 x 751	O_N_-CM486624_	1,869	2,614
	60 x 48 x 29½	1500 x 1200 x 751	O_N_-CM486024_	1,772	2,491
	72 x 42 x 29½	1800 x 1050 x 751	O_N_-CM427224_	1,869	2,614
	66 x 42 x 29½	1650 x 1050 x 751	O_N_-CM426624_	1,772	2,491
	60 x 42 x 29½	1500 x 1050 x 751	O_N_-CM426024_	1,690	2,371
	72 x 36 x 29½	1800 x 900 x 751	O_N_-CM367224_	1,635	2,296
	66 x 36 x 29½	1650 x 900 x 751	O_N_-CM366624_	1,557	2,175
	60 x 36 x 29½	1500 x 900 x 751	O_N_-CM366024_	1,452	2,029
	Specify the surface type (5, 6). Specify the accent color (A, S). Specify leg choice at the end of the code (A, B, C, D, E, F).				

Rectangular tables 30" D




<i>Full-width wire access.</i>					
72 x 30 x 29	1800 x 750 x 738	O_N_-DT3072_	1,138	1,597	
66 x 30 x 29	1650 x 750 x 738	O_N_-DT3066_	1,102	1,546	
60 x 30 x 29	1500 x 750 x 738	O_N_-DT3060_	1,047	1,467	
54 x 30 x 29	1350 x 750 x 738	O_N_-DT3054_	1,008	1,411	
48 x 30 x 29	1200 x 750 x 738	O_N_-DT3048_	942	1,144	
42 x 30 x 29	1050 x 750 x 738	O_N_-DT3042_	902	1,088	
36 x 30 x 29	900 x 750 x 738	O_N_-DT3036_	856	1,033	
30 x 30 x 29	750 x 750 x 738	O_N_-DT3030_	813	984	
24 x 30 x 29	600 x 750 x 738	O_N_-DT3024_	758	912	

**Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).**

72 x 30 x 29½	1800 x 750 x 751	O_N_-DT3072_	1,329	1,869
66 x 30 x 29½	1650 x 750 x 751	O_N_-DT3066_	1,289	1,806
60 x 30 x 29½	1500 x 750 x 751	O_N_-DT3060_	1,225	1,725
54 x 30 x 29½	1350 x 750 x 751	O_N_-DT3054_	1,182	1,660
48 x 30 x 29½	1200 x 750 x 751	O_N_-DT3048_	1,102	1,322
42 x 30 x 29½	1050 x 750 x 751	O_N_-DT3042_	1,047	1,264
36 x 30 x 29½	900 x 750 x 751	O_N_-DT3036_	1,008	1,201
30 x 30 x 29½	750 x 750 x 751	O_N_-DT3030_	942	1,144
24 x 30 x 29½	600 x 750 x 751	O_N_-DT3024_	902	1,088

**Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).**

Rectangular tables 24" D




<i>Full-width wire access.</i>					
72 x 24 x 29	1800 x 600 x 738	O_N_-DT2472_	1,102	1,546	
66 x 24 x 29	1650 x 600 x 738	O_N_-DT2466_	1,047	1,467	
60 x 24 x 29	1500 x 600 x 738	O_N_-DT2460_	1,008	1,411	
54 x 24 x 29	1350 x 600 x 738	O_N_-DT2454_	942	1,335	
48 x 24 x 29	1200 x 600 x 738	O_N_-DT2448_	902	1,088	
42 x 24 x 29	1050 x 600 x 738	O_N_-DT2442_	856	1,033	
36 x 24 x 29	900 x 600 x 738	O_N_-DT2436_	813	984	
30 x 24 x 29	750 x 600 x 738	O_N_-DT2430_	758	912	
24 x 24 x 29	600 x 600 x 738	O_N_-DT2424_	724	870	

**Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).**

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular tables 24" D (cont'd)	72 x 24 x 29½	1800 x 600 x 751	O_N_-DT2472_	1,225	1,725
	66 x 24 x 29½	1650 x 600 x 751	O_N_-DT2466_	1,182	1,660
	60 x 24 x 29½	1500 x 600 x 751	O_N_-DT2460_	1,138	1,597
	54 x 24 x 29½	1350 x 600 x 751	O_N_-DT2454_	1,102	1,546
	48 x 24 x 29½	1200 x 600 x 751	O_N_-DT2448_	1,008	1,201
	42 x 24 x 29½	1050 x 600 x 751	O_N_-DT2442_	942	1,144
	36 x 24 x 29½	900 x 600 x 751	O_N_-DT2436_	902	1,088
	30 x 24 x 29½	750 x 600 x 751	O_N_-DT2430_	856	1,033
	24 x 24 x 29½	600 x 600 x 751	O_N_-DT2424_	813	984
	Specify the surface type (5, 6). Specify the accent color (A, S). Specify leg choice at the end of the code (A, B, C, D, E, F).				

Left asymmetrical tables, 30" D




<i>To attach to a work surface. Full-width wire access.</i>					
				Surface	R1
				54"/30"	35⅜"
				48"/30"	29½"
				42"/30"	23½"
				36"/30"	17⅝"
				30"/30"	11⅝"
54 x 30 x 29	1350 x 750 x 738	O_N_-AT245430_	984	1,371	
48 x 30 x 29	1200 x 750 x 738	O_N_-AT244830_	926	1,127	
42 x 30 x 29	1050 x 750 x 738	O_N_-AT244230_	885	1,071	
36 x 30 x 29	900 x 750 x 738	O_N_-AT243630_	847	1,021	
30 x 30 x 29	750 x 750 x 738	O_N_-AT243030_	798	973	

**Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).**

54 x 30 x 29½	1350 x 750 x 751	O_N_-AT245430_	1,152	1,621
48 x 30 x 29½	1200 x 750 x 751	O_N_-AT244830_	1,054	1,274
42 x 30 x 29½	1050 x 750 x 751	O_N_-AT244230_	1,021	1,225
36 x 30 x 29½	900 x 750 x 751	O_N_-AT243630_	984	1,176
30 x 30 x 29½	750 x 750 x 751	O_N_-AT243030_	926	1,127

**Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).**

Right asymmetrical tables, 30" D



<i>To attach to a work surface. Full-width wire access.</i>					
				Surface	R1
				54"/30"	35⅜"
				48"/30"	29½"
				42"/30"	23½"
				36"/30"	17⅝"
				30"/30"	11⅝"
54 x 30 x 29	1350 x 750 x 738	O_N_-AT305424_	984	1,371	
48 x 30 x 29	1200 x 750 x 738	O_N_-AT304824_	926	1,127	
42 x 30 x 29	1050 x 750 x 738	O_N_-AT304224_	885	1,071	
36 x 30 x 29	900 x 750 x 738	O_N_-AT303624_	847	1,021	
30 x 30 x 29	750 x 750 x 738	O_N_-AT303024_	798	973	


**Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).**

54 x 30 x 29½	1350 x 750 x 751	O_N_-AT305424_	1,152	1,621
48 x 30 x 29½	1200 x 750 x 751	O_N_-AT304824_	1,054	1,274
42 x 30 x 29½	1050 x 750 x 751	O_N_-AT304224_	1,021	1,225
36 x 30 x 29½	900 x 750 x 751	O_N_-AT303624_	984	1,176
30 x 30 x 29½	750 x 750 x 751	O_N_-AT303024_	926	1,127


**Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).**



Left asymmetrical tables, 24" D



To attach to a work surface. Full-width wire access.



Surface	R1
54"/24"	35 ³ / ₈ "
48"/24"	29 ¹ / ₂ "
42"/24"	23 ¹ / ₂ "
36"/24"	17 ³ / ₈ "
30"/24"	11 ⁵ / ₈ "


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
54 x 24 x 29	1350 x 600 x 738	O_N_-AT185424_	926	1,317
48 x 24 x 29	1200 x 600 x 738	O_N_-AT184824_	885	1,071
42 x 24 x 29	1050 x 600 x 738	O_N_-AT184224_	847	1,021
36 x 24 x 29	900 x 600 x 738	O_N_-AT183624_	798	973
30 x 24 x 29	750 x 600 x 738	O_N_-AT183024_	758	912

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).


54 x 24 x 29½	1350 x 600 x 751	O_N_-AT185424_	1,114	1,564
48 x 24 x 29½	1200 x 600 x 751	O_N_-AT184824_	1,021	1,225
42 x 24 x 29½	1050 x 600 x 751	O_N_-AT184224_	984	1,176
36 x 24 x 29½	900 x 600 x 751	O_N_-AT183624_	926	1,127
30 x 24 x 29½	750 x 600 x 751	O_N_-AT183024_	885	1,071

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

Right asymmetrical tables, 24" D



To attach to a work surface. Full-width wire access.



Surface	R1
54"/24"	35 ³ / ₈ "
48"/24"	29 ¹ / ₂ "
42"/24"	23 ¹ / ₂ "
36"/24"	17 ³ / ₈ "
30"/24"	11 ⁵ / ₈ "


54 x 24 x 29	1350 x 600 x 738	O_N_-AT245418_	926	1,317
48 x 24 x 29	1200 x 600 x 738	O_N_-AT244818_	885	1,071
42 x 24 x 29	1050 x 600 x 738	O_N_-AT244218_	847	1,021
36 x 24 x 29	900 x 600 x 738	O_N_-AT243618_	798	973
30 x 24 x 29	750 x 600 x 738	O_N_-AT243018_	758	912

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

54 x 24 x 29½	1350 x 600 x 751	O_N_-AT245418_	1,114	1,564
48 x 24 x 29½	1200 x 600 x 751	O_N_-AT244818_	1,021	1,225
42 x 24 x 29½	1050 x 600 x 751	O_N_-AT244218_	984	1,176
36 x 24 x 29½	900 x 600 x 751	O_N_-AT243618_	926	1,127
30 x 24 x 29½	750 x 600 x 751	O_N_-AT243018_	885	1,071

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

Left D-shaped extended corner modules



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.

84 x 48 x 29	2100 x 1200 x 738	O_N_-CB844824	1,854	2,586
78 x 48 x 29	1950 x 1200 x 738	O_N_-CB784824	1,760	2,466
72 x 48 x 29	1800 x 1200 x 738	O_N_-CB724824	1,669	2,337
84 x 42 x 29	2100 x 1050 x 738	O_N_-CB844224	1,760	2,466
78 x 42 x 29	1950 x 1050 x 738	O_N_-CB784224	1,669	2,337
72 x 42 x 29	1800 x 1050 x 738	O_N_-CB724224	1,585	2,217

Specify the surface type (1, 2). Specify the accent color (A, S).

Left D-shaped extended corner modules (cont'd)

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
84 x 48 x 29½	2100 x 1200 x 751	O_N_-CB844824	2,111	2,957
78 x 48 x 29½	1950 x 1200 x 751	O_N_-CB784824	2,022	2,829
72 x 48 x 29½	1800 x 1200 x 751	O_N_-CB724824	1,934	2,706
84 x 42 x 29½	2100 x 1050 x 751	O_N_-CB844224	2,022	2,829
78 x 42 x 29½	1950 x 1050 x 751	O_N_-CB784224	1,934	2,706
72 x 42 x 29½	1800 x 1050 x 751	O_N_-CB724224	1,854	2,586

Specify the surface type (5, 6). Specify the accent color (A, S).

Right D-shaped extended corner modules



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.


84 x 48 x 29	2100 x 1200 x 738	O_N_-C4884824	1,854	2,586
78 x 48 x 29	1950 x 1200 x 738	O_N_-C487824	1,760	2,466
72 x 48 x 29	1800 x 1200 x 738	O_N_-C4872824	1,669	2,337
84 x 42 x 29	2100 x 1050 x 738	O_N_-C4284824	1,760	2,466
78 x 42 x 29	1950 x 1050 x 738	O_N_-C4278824	1,669	2,337
72 x 42 x 29	1800 x 1050 x 738	O_N_-C4272824	1,585	2,217

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 48 x 29½	2100 x 1200 x 751	O_N_-C4884824	2,111	2,957
78 x 48 x 29½	1950 x 1200 x 751	O_N_-C4878824	2,022	2,829
72 x 48 x 29½	1800 x 1200 x 751	O_N_-C4872824	1,934	2,706
84 x 42 x 29½	2100 x 1050 x 751	O_N_-C4284824	2,022	2,829
78 x 42 x 29½	1950 x 1050 x 751	O_N_-C4278824	1,934	2,706
72 x 42 x 29½	1800 x 1050 x 751	O_N_-C4272824	1,854	2,586

Specify the surface type (5, 6). Specify the accent color (A, S).

Left D-shaped extended corner modules with modesty panel



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side half-width wiring access. Modesty panel. 6" diameter steel leg.


84 x 48 x 29	2100 x 1200 x 738	O_N_-CBM844824	2,062	2,805
78 x 48 x 29	1950 x 1200 x 738	O_N_-CBM784824	1,983	2,683
72 x 48 x 29	1800 x 1200 x 738	O_N_-CBM724824	1,892	2,551
84 x 42 x 29	2100 x 1050 x 738	O_N_-CBM844224	1,983	2,683
78 x 42 x 29	1950 x 1050 x 738	O_N_-CBM784224	1,892	2,551
72 x 42 x 29	1800 x 1050 x 738	O_N_-CBM724224	1,806	2,442

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 48 x 29½	2100 x 1200 x 751	O_N_-CBM844824	2,329	3,177
78 x 48 x 29½	1950 x 1200 x 751	O_N_-CBM784824	2,241	3,053
72 x 48 x 29½	1800 x 1200 x 751	O_N_-CBM724824	2,161	2,934
84 x 42 x 29½	2100 x 1050 x 751	O_N_-CBM844224	2,241	3,053
78 x 42 x 29½	1950 x 1050 x 751	O_N_-CBM784224	2,161	2,934
72 x 42 x 29½	1800 x 1050 x 751	O_N_-CBM724224	2,062	2,805

Specify the surface type (5, 6). Specify the accent color (A, S).

Right D-shaped extended corner modules with modesty panel



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side half-width wiring access. Modesty panel. 6" diameter steel leg.

84 x 48 x 29	2100 x 1200 x 738	O_N_-C4884824	2,062	2,805
78 x 48 x 29	1950 x 1200 x 738	O_N_-C4878824	1,983	2,683
72 x 48 x 29	1800 x 1200 x 738	O_N_-C4872824	1,892	2,551
84 x 42 x 29	2100 x 1050 x 738	O_N_-C4284824	1,983	2,683
78 x 42 x 29	1950 x 1050 x 738	O_N_-C4278824	1,892	2,551
72 x 42 x 29	1800 x 1050 x 738	O_N_-C4272824	1,806	2,442


Specify the surface type (1, 2). Specify the accent color (A, S).



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right D-shaped extended corner modules with modesty panel (cont'd)	84 x 48 x 29½	2100 x 1200 x 751	O_N_-C4884BM24	2,329	3,177
	78 x 48 x 29½	1950 x 1200 x 751	O_N_-C4878BM24	2,241	3,053
	72 x 48 x 29½	1800 x 1200 x 751	O_N_-C4872BM24	2,161	2,934
	84 x 42 x 29½	2100 x 1050 x 751	O_N_-C4284BM24	2,241	3,053
	78 x 42 x 29½	1950 x 1050 x 751	O_N_-C4278BM24	2,161	2,934
	72 x 42 x 29½	1800 x 1050 x 751	O_N_-C4272BM24	2,062	2,805

Specify the surface type (5, 6). Specify the accent color (A, S).

Left P-shaped extended corner modules



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.


84 x 60 x 29	2100 x 1500 x 738	O_N_-CP844824	1,934	2,706
78 x 60 x 29	1950 x 1500 x 738	O_N_-CP784824	1,854	2,586
72 x 60 x 29	1800 x 1500 x 738	O_N_-CP724824	1,760	2,466
84 x 54 x 29	2100 x 1350 x 738	O_N_-CP844224	1,854	2,586
78 x 54 x 29	1950 x 1350 x 738	O_N_-CP784224	1,760	2,466
72 x 54 x 29	1800 x 1350 x 738	O_N_-CP724224	1,669	2,337

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 60 x 29½	2100 x 1500 x 751	O_N_-CP844824	2,199	3,080
78 x 60 x 29½	1950 x 1500 x 751	O_N_-CP784824	2,111	2,957
72 x 60 x 29½	1800 x 1500 x 751	O_N_-CP724824	2,022	2,829
84 x 54 x 29½	2100 x 1350 x 751	O_N_-CP844224	2,111	2,957
78 x 54 x 29½	1950 x 1350 x 751	O_N_-CP784224	2,022	2,829
72 x 54 x 29½	1800 x 1350 x 751	O_N_-CP724224	1,934	2,706

Specify the surface type (5, 6). Specify the accent color (A, S).

Right P-shaped extended corner modules



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.


84 x 60 x 29	2100 x 1500 x 738	O_N_-C4884P24	1,934	2,706
78 x 60 x 29	1950 x 1500 x 738	O_N_-C4878P24	1,854	2,586
72 x 60 x 29	1800 x 1500 x 738	O_N_-C4872P24	1,760	2,466
84 x 54 x 29	2100 x 1350 x 738	O_N_-C4284P24	1,854	2,586
78 x 54 x 29	1950 x 1350 x 738	O_N_-C4278P24	1,760	2,466
72 x 54 x 29	1800 x 1350 x 738	O_N_-C4272P24	1,669	2,337

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 60 x 29½	2100 x 1500 x 751	O_N_-C4884P24	2,199	3,080
78 x 60 x 29½	1950 x 1500 x 751	O_N_-C4878P24	2,111	2,957
72 x 60 x 29½	1800 x 1500 x 751	O_N_-C4872P24	2,022	2,829
84 x 54 x 29½	2100 x 1350 x 751	O_N_-C4284P24	2,111	2,957
78 x 54 x 29½	1950 x 1350 x 751	O_N_-C4278P24	2,022	2,829
72 x 54 x 29½	1800 x 1350 x 751	O_N_-C4272P24	1,934	2,706

Specify the surface type (5, 6). Specify the accent color (A, S).

Left P-shaped extended corner modules with modesty panel



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side half-width wiring access. Modesty panel. 6" diameter steel leg.

84 x 60 x 29	2100 x 1500 x 738	O_N_-CPM844824	2,161	2,934
78 x 60 x 29	1950 x 1500 x 738	O_N_-CPM784824	2,062	2,805
72 x 60 x 29	1800 x 1500 x 738	O_N_-CPM724824	1,983	2,683
84 x 54 x 29	2100 x 1350 x 738	O_N_-CPM844224	2,062	2,805
78 x 54 x 29	1950 x 1350 x 738	O_N_-CPM784224	1,983	2,683
72 x 54 x 29	1800 x 1350 x 738	O_N_-CPM724224	1,892	2,551

Specify the surface type (1, 2). Specify the accent color (A, S).

Left P-shaped extended corner modules with modesty panel (cont'd)




Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left P-shaped extended corner modules with modesty panel (cont'd)	84 x 60 x 29½	2100 x 1500 x 751	O_N_-CPM844824	2,425	3,305
	78 x 60 x 29½	1950 x 1500 x 751	O_N_-CPM784824	2,329	3,177
	72 x 60 x 29½	1800 x 1500 x 751	O_N_-CPM724824	2,241	3,053
	84 x 54 x 29½	2100 x 1350 x 751	O_N_-CPM844224	2,329	3,177
	78 x 54 x 29½	1950 x 1350 x 751	O_N_-CPM784224	2,241	3,053
	72 x 54 x 29½	1800 x 1350 x 751	O_N_-CPM724224	2,161	2,934

Specify the surface type (5, 6). Specify the accent color (A, S).

Right P-shaped extended corner modules with modesty panel



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. Modesty panel. 6" diameter steel leg.


84 x 60 x 29	2100 x 1500 x 738	O_N_-C4884PM24	2,161	2,934
78 x 60 x 29	1950 x 1500 x 738	O_N_-C4878PM24	2,062	2,805
72 x 60 x 29	1800 x 1500 x 738	O_N_-C4872PM24	1,983	2,683
84 x 54 x 29	2100 x 1350 x 738	O_N_-C4284PM24	2,062	2,805
78 x 54 x 29	1950 x 1350 x 738	O_N_-C4278PM24	1,983	2,683
72 x 54 x 29	1800 x 1350 x 738	O_N_-C4272PM24	1,892	2,551

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 60 x 29½	2100 x 1500 x 751	O_N_-C4884PM24	2,425	3,305
78 x 60 x 29½	1950 x 1500 x 751	O_N_-C4878PM24	2,329	3,177
72 x 60 x 29½	1800 x 1500 x 751	O_N_-C4872PM24	2,241	3,053
84 x 54 x 29½	2100 x 1350 x 751	O_N_-C4284PM24	2,329	3,177
78 x 54 x 29½	1950 x 1350 x 751	O_N_-C4278PM24	2,241	3,053
72 x 54 x 29½	1800 x 1350 x 751	O_N_-C4272PM24	2,161	2,934

Specify the surface type (5, 6). Specify the accent color (A, S).

D-shaped tables



Packaged in 2 boxes.

To attach to a work surface. Grommet. 6" diameter steel leg.


72 x 36 x 29	1800 x 900 x 738	O_N_-BT3672	1,289	1,806
66 x 36 x 29	1650 x 900 x 738	O_N_-BT3666	1,256	1,749
60 x 36 x 29	1500 x 900 x 738	O_N_-BT3660	1,201	1,690
72 x 30 x 29	1800 x 750 x 738	O_N_-BT3072	1,201	1,690
66 x 30 x 29	1650 x 750 x 738	O_N_-BT3066	1,144	1,605
60 x 30 x 29	1500 x 750 x 738	O_N_-BT3060	1,102	1,546
72 x 24 x 29	1800 x 600 x 738	O_N_-BT2472	1,102	1,546
66 x 24 x 29	1650 x 600 x 738	O_N_-BT2466	1,054	1,475
60 x 24 x 29	1500 x 600 x 738	O_N_-BT2460	1,008	1,411

Specify the surface type (1, 2). Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	O_N_-BT3672	1,557	2,175
66 x 36 x 29½	1650 x 900 x 751	O_N_-BT3666	1,506	2,118
60 x 36 x 29½	1500 x 900 x 751	O_N_-BT3660	1,467	2,057
72 x 30 x 29½	1800 x 750 x 751	O_N_-BT3072	1,467	2,057
66 x 30 x 29½	1650 x 750 x 751	O_N_-BT3066	1,411	1,967
60 x 30 x 29½	1500 x 750 x 751	O_N_-BT3060	1,364	1,910
72 x 24 x 29½	1800 x 600 x 751	O_N_-BT2472	1,364	1,910
66 x 24 x 29½	1650 x 600 x 751	O_N_-BT2466	1,322	1,854
60 x 24 x 29½	1500 x 600 x 751	O_N_-BT2460	1,274	1,772

Specify the surface type (5, 6). Specify the accent color (A, S).

D-shaped tables with modesty panel



Packaged in 2 boxes.

To attach to a work surface. Reversible modesty panel. 6" diameter steel leg. Grommet.


72 x 36 x 29	1800 x 900 x 738	O_N_-BTM3672	1,426	2,001
72 x 30 x 29	1800 x 750 x 738	O_N_-BTM3072	1,345	1,892
66 x 30 x 29	1650 x 750 x 738	O_N_-BTM3066	1,169	1,635

Specify the surface type (1, 2). Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	O_N_-BTM3672	1,499	2,106
72 x 30 x 29½	1800 x 750 x 751	O_N_-BTM3072	1,434	2,014
66 x 30 x 29½	1650 x 750 x 751	O_N_-BTM3066	1,379	1,934


Specify the surface type (5, 6). Specify the accent color (A, S).



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left P-shaped tables 	<i>To attach to a work surface. 6" diameter steel leg. Grommet.</i>				
	72 x 42 x 29	1800 x 1050 x 738	O_N_-PT3072	1,335	1,877
	66 x 42 x 29	1650 x 1050 x 738	O_N_-PT3066	1,306	1,829
	60 x 42 x 29	1500 x 1050 x 738	O_N_-PT3060	1,274	1,766


Packaged in 2 boxes.

	72 x 42 x 29½	1800 x 1050 x 751	O_N_-PT3072	1,605	2,241
	66 x 42 x 29½	1650 x 1050 x 751	O_N_-PT3066	1,572	2,199
	60 x 42 x 29½	1500 x 1050 x 751	O_N_-PT3060	1,530	2,150

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right P-shaped tables 	<i>To attach to a work surface. 6" diameter steel leg. Grommet.</i>				
	72 x 42 x 29	1800 x 1050 x 738	O_N_-3072PT	1,335	1,877
	66 x 42 x 29	1650 x 1050 x 738	O_N_-3066PT	1,306	1,829
	60 x 42 x 29	1500 x 1050 x 738	O_N_-3060PT	1,274	1,766


Packaged in 2 boxes.

	72 x 42 x 29½	1800 x 1050 x 751	O_N_-3072PT	1,605	2,241
	66 x 42 x 29½	1650 x 1050 x 751	O_N_-3066PT	1,572	2,199
	60 x 42 x 29½	1500 x 1050 x 751	O_N_-3060PT	1,530	2,150

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left P-shaped tables with modesty panel 	<i>To attach to a work surface. Modesty panel. 6" diameter steel leg. Grommet.</i>				
	72 x 42 x 29	1800 x 1050 x 738	O_N_-PTM3072	1,419	1,988
	66 x 42 x 29	1650 x 1050 x 738	O_N_-PTM3066	1,384	1,950
	60 x 42 x 29	1500 x 1050 x 738	O_N_-PTM3060	1,274	1,772

Packaged in 2 boxes.


	72 x 42 x 29½	1800 x 1050 x 751	O_N_-PTM3072	1,676	2,362
	66 x 42 x 29½	1650 x 1050 x 751	O_N_-PTM3066	1,654	2,322
	60 x 42 x 29½	1500 x 1050 x 751	O_N_-PTM3060	1,530	2,150

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right P-shaped tables with modesty panel 	<i>To attach to a work surface. Modesty panel. 6" diameter steel leg. Grommet.</i>				
	72 x 42 x 29	1800 x 1050 x 738	O_N_-3072PTM	1,419	1,988
	66 x 42 x 29	1650 x 1050 x 738	O_N_-3066PTM	1,384	1,950
	60 x 42 x 29	1500 x 1050 x 738	O_N_-3060PTM	1,274	1,772

Packaged in 2 boxes.

	72 x 42 x 29½	1800 x 1050 x 751	O_N_-3072PTM	1,676	2,362
	66 x 42 x 29½	1650 x 1050 x 751	O_N_-3066PTM	1,654	2,322
	60 x 42 x 29½	1500 x 1050 x 751	O_N_-3060PTM	1,530	2,150


Lateral file / bookcase credenzas
Full-width wire access. 2 file drawers with suspension bars. Bookcase unit with doors, 1 adjustable shelf. Locks.

	72 x 24 x 29	1800 x 600 x 738	O_--_-LF2472B	2,551	3,080
---	--------------	------------------	----------------------	--------------	--------------

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

	72 x 24 x 29½	1800 x 600 x 751	O_--_-LF2472B	2,836	3,407
--	---------------	------------------	----------------------	--------------	--------------


Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Double bookcase credenzas 	<i>Full-width wire access. 2 bookcases units with doors. Locks. 1 adjustable shelf on each side.</i>				
	72 x 24 x 29	1800 x 600 x 738	O_--_-B2472B	2,296	2,766

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

	72 x 24 x 29½	1800 x 600 x 751	O_--_-B2472B	2,586	3,102
--	---------------	------------------	---------------------	--------------	--------------


Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Double lateral file credenzas 	<i>Full-width wire access. 4 file drawers with suspension bars. Locks. Optional counterweights to meet BIFMA standards, refer to page 108.</i>				
	72 x 24 x 29	1800 x 600 x 738	O_--_-LF2472LF	2,836	3,407

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

	72 x 24 x 29½	1800 x 600 x 751	O_--_-LF2472LF	3,118	3,753
--	---------------	------------------	-----------------------	--------------	--------------


Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left lateral file credenzas 	<i>Full-width wire access. 2 file drawers with suspension bars. Lock.</i>				
	72 x 24 x 29	1800 x 600 x 738	O_--_-LF2472S	2,175	2,614
	66 x 24 x 29	1650 x 600 x 738	O_--_-LF2466S	2,087	2,497
	60 x 24 x 29	1500 x 600 x 738	O_--_-LF2460S	1,988	2,387

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

	72 x 24 x 29½	1800 x 600 x 751	O_--_-LF2472S	2,491	2,982
	66 x 24 x 29½	1650 x 600 x 751	O_--_-LF2466S	2,393	2,869
	60 x 24 x 29½	1500 x 600 x 751	O_--_-LF2460S	2,291	2,755


Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right lateral file credenzas 	<i>Full-width wire access. 2 file drawers with suspension bars. Lock.</i>				
	72 x 24 x 29	1800 x 600 x 738	O_--_-S2472LF	2,175	2,614
	66 x 24 x 29	1650 x 600 x 738	O_--_-S2466LF	2,087	2,497
	60 x 24 x 29	1500 x 600 x 738	O_--_-S2460LF	1,988	2,387

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

	72 x 24 x 29½	1800 x 600 x 751	O_--_-S2472LF	2,491	2,982
	66 x 24 x 29½	1650 x 600 x 751	O_--_-S2466LF	2,393	2,869
	60 x 24 x 29½	1500 x 600 x 751	O_--_-S2460LF	2,291	2,755

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Lateral file credenzas 	<i>Open space on top and 2 file drawers on bottom with suspension bars. Locks. Full-width wire access. Optional counterweights to meet BIFMA standards, refer to page 108.</i>				
	72 x 24 x 29	1800 x 600 x 738	O_--_-SLF2472	2,144	2,571


Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

	72 x 24 x 29½	1800 x 600 x 751	O_--_-SLF2472	2,425	2,909
--	---------------	------------------	----------------------	--------------	--------------

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).



Double pedestal credenzas low profile




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 2 pedestals with locks. 4 box drawers and 2 file drawers with suspension bars. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ _ _ -UF2472UF	2,614	3,136
66 x 24 x 29	1650 x 600 x 738	O _ _ _ -UF2466UF	2,594	3,108
60 x 24 x 29	1500 x 600 x 738	O _ _ _ -UF2460UF	2,546	3,080

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 24 x 29½	1800 x 600 x 751	O _ _ _ -UF2472UF	2,926	3,512
66 x 24 x 29½	1650 x 600 x 751	O _ _ _ -UF2466UF	2,909	3,490
60 x 24 x 29½	1500 x 600 x 751	O _ _ _ -UF2460UF	2,860	3,433

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Double pedestal credenzas




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 2 pedestals with locks. 2 box drawers and 2 file drawers with suspension bars. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ _ _ -F2472F	2,087	2,504
66 x 24 x 29	1650 x 600 x 738	O _ _ _ -F2466F	2,062	2,481
60 x 24 x 29	1500 x 600 x 738	O _ _ _ -F2460F	2,022	2,433

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 24 x 29½	1800 x 600 x 751	O _ _ _ -F2472F	2,393	2,878
66 x 24 x 29½	1650 x 600 x 751	O _ _ _ -F2466F	2,376	2,846
60 x 24 x 29½	1500 x 600 x 751	O _ _ _ -F2460F	2,329	2,797

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Left single pedestal credenzas low profile




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ _ _ -UF2472S	1,877	2,199
66 x 24 x 29	1650 x 600 x 738	O _ _ _ -UF2466S	1,847	2,161
60 x 24 x 29	1500 x 600 x 738	O _ _ _ -UF2460S	1,786	2,106

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 24 x 29½	1800 x 600 x 751	O _ _ _ -UF2472S	2,118	2,497
66 x 24 x 29½	1650 x 600 x 751	O _ _ _ -UF2466S	2,081	2,449
60 x 24 x 29½	1500 x 600 x 751	O _ _ _ -UF2460S	2,038	2,401

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Right single pedestal credenzas




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ _ _ -S2472UF	1,877	2,199
66 x 24 x 29	1650 x 600 x 738	O _ _ _ -S2466UF	1,847	2,161
60 x 24 x 29	1500 x 600 x 738	O _ _ _ -S2460UF	1,786	2,106

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 24 x 29½	1800 x 600 x 751	O _ _ _ -S2472UF	2,118	2,497
66 x 24 x 29½	1650 x 600 x 751	O _ _ _ -S2466UF	2,081	2,449
60 x 24 x 29½	1500 x 600 x 751	O _ _ _ -S2460UF	2,038	2,401

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Left single pedestal credenzas low profile



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ _ _ -F2472S	1,612	1,934
66 x 24 x 29	1650 x 600 x 738	O _ _ _ -F2466S	1,578	1,892
60 x 24 x 29	1500 x 600 x 738	O _ _ _ -F2460S	1,530	1,847


Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Left single pedestal credenzas (cont'd)

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 24 x 29½	1800 x 600 x 751	O _ _ _ -F2472S	1,918	2,305
66 x 24 x 29½	1650 x 600 x 751	O _ _ _ -F2466S	1,882	2,257
60 x 24 x 29½	1500 x 600 x 751	O _ _ _ -F2460S	1,847	2,210

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Right single pedestal credenzas




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wire access. 1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ _ _ -S2472F	1,612	1,934
66 x 24 x 29	1650 x 600 x 738	O _ _ _ -S2466F	1,578	1,892
60 x 24 x 29	1500 x 600 x 738	O _ _ _ -S2460F	1,530	1,847

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 24 x 29½	1800 x 600 x 751	O _ _ _ -S2472F	1,918	2,305
66 x 24 x 29½	1650 x 600 x 751	O _ _ _ -S2466F	1,882	2,257
60 x 24 x 29½	1500 x 600 x 751	O _ _ _ -S2460F	1,847	2,210

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).


Open bookcase credenzas



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 adjustable shelf on each side. Full-width wire access.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ N _ -BE2472BE	1,838	2,199
Specify the surface type (1, 2). Specify the accent color (A, S).				
72 x 24 x 29½	1800 x 600 x 751	O _ N _ -BE2472BE	2,014	2,425

Specify the surface type (5, 6). Specify the accent color (A, S).

Left open bookcase credenzas




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 adjustable shelf. Full-width wire access.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ N _ -BE2472S	1,690	2,029
66 x 24 x 29	1650 x 600 x 738	O _ N _ -BE2466S	1,612	1,950
60 x 24 x 29	1500 x 600 x 738	O _ N _ -BE2460S	1,530	1,869

Specify the surface type (1, 2). Specify the accent color (A, S).

72 x 24 x 29½	1800 x 600 x 751	O _ N _ -BE2472S	1,863	2,231
66 x 24 x 29½	1650 x 600 x 751	O _ N _ -BE2466S	1,772	2,150
60 x 24 x 29½	1500 x 600 x 751	O _ N _ -BE2460S	1,690	2,062

Specify the surface type (5, 6). Specify the accent color (A, S).

Right open bookcase credenzas




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 adjustable shelf. Full-width wire access.</i>				
72 x 24 x 29	1800 x 600 x 738	O _ N _ -S2472BE	1,690	2,029
66 x 24 x 29	1650 x 600 x 738	O _ N _ -S2466BE	1,612	1,950
60 x 24 x 29	1500 x 600 x 738	O _ N _ -S2460BE	1,530	1,869

Specify the surface type (1, 2). Specify the accent color (A, S).

72 x 24 x 29½	1800 x 600 x 751	O _ N _ -S2472BE	1,863	2,231
66 x 24 x 29½	1650 x 600 x 751	O _ N _ -S2466BE	1,772	2,150
60 x 24 x 29½	1500 x 600 x 751	O _ N _ -S2460BE	1,690	2,062

Specify the surface type (5, 6). Specify the accent color (A, S).

Return shells



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Reversible. 1 grommet. Can accommodate 1 pedestal.</i>				
48 x 24 x 29	1200 x 600 x 738	O _ N _ -R2448S	752	896
42 x 24 x 29	1050 x 600 x 738	O _ N _ -R2442S	724	870
36 x 24 x 29	900 x 600 x 738	O _ N _ -R2436S	686	831

Specify the surface type (1, 2). Specify the accent color (A, S).

48 x 24 x 29½	1200 x 600 x 751	O _ N _ -R2448S	960	1,152
42 x 24 x 29½	1050 x 600 x 751	O _ N _ -R2442S	912	1,102
36 x 24 x 29½	900 x 600 x 751	O _ N _ -R2436S	856	1,033

Specify the surface type (5, 6). Specify the accent color (A, S).



Left executive returns low profile



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet.</i>				
48 x 24 x 29	1200 x 600 x 738	0___-UF2448R	1,585	1,854
42 x 24 x 29	1050 x 600 x 738	0___-UF2442R	1,499	1,760
36 x 24 x 29	900 x 600 x 738	0___-UF2436R	1,434	1,669

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

48 x 24 x 29½	1200 x 600 x 751	0___-UF2448R	1,749	2,047
42 x 24 x 29½	1050 x 600 x 751	0___-UF2442R	1,669	1,950
36 x 24 x 29½	900 x 600 x 751	0___-UF2436R	1,605	1,877

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Right executive returns low profile



<i>1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet.</i>				
48 x 24 x 29	1200 x 600 x 738	0___-R2448UF	1,585	1,854
42 x 24 x 29	1050 x 600 x 738	0___-R2442UF	1,499	1,760
36 x 24 x 29	900 x 600 x 738	0___-R2436UF	1,434	1,669

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

48 x 24 x 29½	1200 x 600 x 751	0___-R2448UF	1,749	2,047
42 x 24 x 29½	1050 x 600 x 751	0___-R2442UF	1,669	1,950
36 x 24 x 29½	900 x 600 x 751	0___-R2436UF	1,605	1,877

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Right executive returns



<i>1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet.</i>				
48 x 24 x 29	1200 x 600 x 738	0___-R2448F	1,322	1,585
42 x 24 x 29	1050 x 600 x 738	0___-R2442F	1,232	1,490
36 x 24 x 29	900 x 600 x 738	0___-R2436F	1,169	1,411

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

48 x 24 x 29½	1200 x 600 x 751	0___-R2448F	1,482	1,780
42 x 24 x 29½	1050 x 600 x 751	0___-R2442F	1,411	1,690
36 x 24 x 29½	900 x 600 x 751	0___-R2436F	1,335	1,612

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Left executive returns



<i>1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet.</i>				
48 x 24 x 29	1200 x 600 x 738	0___-F2448R	1,322	1,585
42 x 24 x 29	1050 x 600 x 738	0___-F2442R	1,232	1,490
36 x 24 x 29	900 x 600 x 738	0___-F2436R	1,169	1,411

Specify the surface type (1, 2). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

48 x 24 x 29½	1200 x 600 x 751	0___-F2448R	1,482	1,780
42 x 24 x 29½	1050 x 600 x 751	0___-F2442R	1,411	1,690
36 x 24 x 29½	900 x 600 x 751	0___-F2436R	1,335	1,612

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Bridge returns




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Grommet. Full-height modesty panel.</i>				
48 x 24 x 29	1200 x 600 x 738	0_N_-BR2448	605	731
42 x 24 x 29	1050 x 600 x 738	0_N_-BR2442	563	677
36 x 24 x 29	900 x 600 x 738	0_N_-BR2436	532	638

Specify the surface type (1, 2). Specify the accent color (A, S).

48 x 24 x 29½	1200 x 600 x 751	0_N_-BR2448	742	885
42 x 24 x 29½	1050 x 600 x 751	0_N_-BR2442	710	847
36 x 24 x 29½	900 x 600 x 751	0_N_-BR2436	669	813

Specify the surface type (5, 6). Specify the accent color (A, S).

Hutches with doors and pigeonholes



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors


<i>Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 20⅞" (530 mm). Grommet. Full-width wire access.</i>				
72 x 16 x 44	1800 x 400 x 1096	01N_-E724416PD	2,224	-
66 x 16 x 44	1650 x 400 x 1096	01N_-E664416PD	2,150	-
60 x 16 x 44	1500 x 400 x 1096	01N_-E604416PD	2,062	-
54 x 16 x 44	1350 x 400 x 1096	01N_-E544416PD	1,983	-
48 x 16 x 44	1200 x 400 x 1096	01N_-E484416PD	1,904	-
42 x 16 x 44	1050 x 400 x 1096	01N_-E424416PD	1,814	-
36 x 16 x 44	900 x 400 x 1096	01N_-E364416PD	1,725	-

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1096	05N_-E724416PD	2,410	-
66 x 16 x 44	1650 x 400 x 1096	05N_-E664416PD	2,322	-
60 x 16 x 44	1500 x 400 x 1096	05N_-E604416PD	2,241	-
54 x 16 x 44	1350 x 400 x 1096	05N_-E544416PD	2,161	-
48 x 16 x 44	1200 x 400 x 1096	05N_-E484416PD	2,038	-
42 x 16 x 44	1050 x 400 x 1096	05N_-E424416PD	1,950	-
36 x 16 x 44	900 x 400 x 1096	05N_-E364416PD	1,869	-

Specify the accent color (A, S). To be used with 1½" surfaces.

Hutches with translucent doors and pigeonholes – 44" H



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

<i>Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 20⅞" (530 mm). Grommet. Full-width wire access.</i>				
72 x 16 x 44	1800 x 400 x 1096	01NS-E724416TD	3,053	-
66 x 16 x 44	1650 x 400 x 1096	01NS-E664416TD	2,982	-
60 x 16 x 44	1500 x 400 x 1096	01NS-E604416TD	2,894	-
54 x 16 x 44	1350 x 400 x 1096	01NS-E544416TD	2,604	-
48 x 16 x 44	1200 x 400 x 1096	01NS-E484416TD	2,523	-
42 x 16 x 44	1050 x 400 x 1096	01NS-E424416TD	2,224	-
36 x 16 x 44	900 x 400 x 1096	01NS-E364416TD	2,144	-


Accent color S. To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1096	05NS-E724416TD	3,239	-
66 x 16 x 44	1650 x 400 x 1096	05NS-E664416TD	3,152	-
60 x 16 x 44	1500 x 400 x 1096	05NS-E604416TD	3,070	-
54 x 16 x 44	1350 x 400 x 1096	05NS-E544416TD	2,780	-
48 x 16 x 44	1200 x 400 x 1096	05NS-E484416TD	2,668	-
42 x 16 x 44	1050 x 400 x 1096	05NS-E424416TD	2,371	-
36 x 16 x 44	900 x 400 x 1096	05NS-E364416TD	2,281	-

Accent color S. To be used with 1½" surfaces.



Hutches with doors – 44" H



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 20% (530 mm). Grommet. Full-width wire access. Adjustable shelves.


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 44	1800 x 400 x 1096	01N_E724416P	1,877	-
66 x 16 x 44	1650 x 400 x 1096	01N_E664416P	1,786	-
60 x 16 x 44	1500 x 400 x 1096	01N_E604416P	1,716	-
54 x 16 x 44	1350 x 400 x 1096	01N_E544416P	1,628	-
48 x 16 x 44	1200 x 400 x 1096	01N_E484416P	1,557	-
42 x 16 x 44	1050 x 400 x 1096	01N_E424416P	1,459	-
36 x 16 x 44	900 x 400 x 1096	01N_E364416P	1,371	-

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1096	05N_E724416P	2,057	-
66 x 16 x 44	1650 x 400 x 1096	05N_E664416P	1,967	-
60 x 16 x 44	1500 x 400 x 1096	05N_E604416P	1,892	-
54 x 16 x 44	1350 x 400 x 1096	05N_E544416P	1,806	-
48 x 16 x 44	1200 x 400 x 1096	05N_E484416P	1,690	-
42 x 16 x 44	1050 x 400 x 1096	05N_E424416P	1,605	-
36 x 16 x 44	900 x 400 x 1096	05N_E364416P	1,506	-

Specify the accent color (A, S). To be used with 1½" surfaces.

Hutches with translucent doors – 44" H



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 20% (530 mm). Grommet. Full-width wire access.


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 44	1800 x 400 x 1096	01NS-E724416T	2,706	-
66 x 16 x 44	1650 x 400 x 1096	01NS-E664416T	2,620	-
60 x 16 x 44	1500 x 400 x 1096	01NS-E604416T	2,546	-
54 x 16 x 44	1350 x 400 x 1096	01NS-E544416T	2,247	-
48 x 16 x 44	1200 x 400 x 1096	01NS-E484416T	2,175	-
42 x 16 x 44	1050 x 400 x 1096	01NS-E424416T	1,877	-
36 x 16 x 44	900 x 400 x 1096	01NS-E364416T	1,780	-

Accent color S. To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1096	05NS-E724416T	2,885	-
66 x 16 x 44	1650 x 400 x 1096	05NS-E664416T	2,797	-
60 x 16 x 44	1500 x 400 x 1096	05NS-E604416T	2,724	-
54 x 16 x 44	1350 x 400 x 1096	05NS-E544416T	2,425	-
48 x 16 x 44	1200 x 400 x 1096	05NS-E484416T	2,314	-
42 x 16 x 44	1050 x 400 x 1096	05NS-E424416T	2,014	-
36 x 16 x 44	900 x 400 x 1096	05NS-E364416T	1,926	-

Accent color S. To be used with 1½" surfaces.

Hutches with doors – 36" H



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 16¾" (426 mm). Grommet. Full-width wire access.


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 36	1800 x 400 x 893	01N_E723616P	1,605	-
66 x 16 x 36	1650 x 400 x 893	01N_E663616P	1,518	-
60 x 16 x 36	1500 x 400 x 893	01N_E603616P	1,434	-
54 x 16 x 36	1350 x 400 x 893	01N_E543616P	1,364	-
48 x 16 x 36	1200 x 400 x 893	01N_E483616P	1,289	-
42 x 16 x 36	1050 x 400 x 893	01N_E423616P	1,176	-
36 x 16 x 36	900 x 400 x 893	01N_E363616P	1,065	-

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 36	1800 x 400 x 893	05N_E723616P	1,772	-
66 x 16 x 36	1650 x 400 x 893	05N_E663616P	1,702	-
60 x 16 x 36	1500 x 400 x 893	05N_E603616P	1,612	-
54 x 16 x 36	1350 x 400 x 893	05N_E543616P	1,546	-
48 x 16 x 36	1200 x 400 x 893	05N_E483616P	1,419	-
42 x 16 x 36	1050 x 400 x 893	05N_E423616P	1,317	-
36 x 16 x 36	900 x 400 x 893	05N_E363616P	1,193	-

Specify the accent color (A, S). To be used with 1½" surfaces.

Hutches with translucent doors – 36" H



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Clearance: 16¾" (426 mm). Grommet. Full-width wire access.


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 36	1800 x 400 x 893	01NS-E723616T	2,433	-
66 x 16 x 36	1650 x 400 x 893	01NS-E663616T	2,344	-
60 x 16 x 36	1500 x 400 x 893	01NS-E603616T	2,264	-
54 x 16 x 36	1350 x 400 x 893	01NS-E543616T	1,983	-
48 x 16 x 36	1200 x 400 x 893	01NS-E483616T	1,910	-
42 x 16 x 36	1050 x 400 x 893	01NS-E423616T	1,597	-
36 x 16 x 36	900 x 400 x 893	01NS-E363616T	1,475	-

Accent color S. To be used with 1" surfaces.

72 x 16 x 36	1800 x 400 x 893	05NS-E723616T	2,604	-
66 x 16 x 36	1650 x 400 x 893	05NS-E663616T	2,531	-
60 x 16 x 36	1500 x 400 x 893	05NS-E603616T	2,442	-
54 x 16 x 36	1350 x 400 x 893	05NS-E543616T	2,167	-
48 x 16 x 36	1200 x 400 x 893	05NS-E483616T	2,038	-
42 x 16 x 36	1050 x 400 x 893	05NS-E423616T	1,725	-
36 x 16 x 36	900 x 400 x 893	05NS-E363616T	1,612	-

Accent color S. To be used with 1½" surfaces.

Hutches with flipper doors




72" to 54": 2 doors
48" to 36": 1 door

Wire dividers included (2 per door). Can accommodate a tackboard, refer to page 107. Clearance: 16¾" (426 mm). Grommet. Full-width wire access. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 36	1800 x 400 x 893	0NN_E723616FD	1,605	-
66 x 16 x 36	1650 x 400 x 893	0NN_E663616FD	1,518	-
60 x 16 x 36	1500 x 400 x 893	0NN_E603616FD	1,434	-
54 x 16 x 36	1350 x 400 x 893	0NN_E543616FD	1,364	-
48 x 16 x 36	1200 x 400 x 893	0NN_E483616FD	1,289	-
42 x 16 x 36	1050 x 400 x 893	0NN_E423616FD	1,176	-
36 x 16 x 36	900 x 400 x 893	0NN_E363616FD	1,065	-

Specify the accent color (A, S).

Open hutches – 44" H



72" to 48": 4 shelves
42" to 36": 2 shelves

Adjustable shelves. Wire dividers included (1 per shelf). Can accommodate a tackboard, refer to page 107. Clearance: 20% (530 mm). Grommet. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 44	1800 x 400 x 1096	01N_E724416	1,411	-
66 x 16 x 44	1650 x 400 x 1096	01N_E664416	1,335	-
60 x 16 x 44	1500 x 400 x 1096	01N_E604416	1,264	-
54 x 16 x 44	1350 x 400 x 1096	01N_E544416	1,169	-
48 x 16 x 44	1200 x 400 x 1096	01N_E484416	1,088	-
42 x 16 x 44	1050 x 400 x 1096	01N_E424416	1,021	-
36 x 16 x 44	900 x 400 x 1096	01N_E364416	973	-


Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1096	05N_E724416	1,585	-
66 x 16 x 44	1650 x 400 x 1096	05N_E664416	1,506	-
60 x 16 x 44	1500 x 400 x 1096	05N_E604416	1,434	-
54 x 16 x 44	1350 x 400 x 1096	05N_E544416	1,345	-
48 x 16 x 44	1200 x 400 x 1096	05N_E484416	1,219	-
42 x 16 x 44	1050 x 400 x 1096	05N_E424416	1,152	-
36 x 16 x 44	900 x 400 x 1096	05N_E364416	1,102	-

Specify the accent color (A, S). To be used with 1½" surfaces.



Open hutches – 36" H



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 36	1800 x 400 x 893	01N_-E723616	1,176	–
66 x 16 x 36	1650 x 400 x 893	01N_-E663616	1,114	–
60 x 16 x 36	1500 x 400 x 893	01N_-E603616	1,033	–
54 x 16 x 36	1350 x 400 x 893	01N_-E543616	942	–
48 x 16 x 36	1200 x 400 x 893	01N_-E483616	870	–
42 x 16 x 36	1050 x 400 x 893	01N_-E423616	779	–
36 x 16 x 36	900 x 400 x 893	01N_-E363616	731	–


Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 36	1800 x 400 x 893	05N_-E723616	1,355	–
66 x 16 x 36	1650 x 400 x 893	05N_-E663616	1,289	–
60 x 16 x 36	1500 x 400 x 893	05N_-E603616	1,201	–
54 x 16 x 36	1350 x 400 x 893	05N_-E543616	1,127	–
48 x 16 x 36	1200 x 400 x 893	05N_-E483616	998	–
42 x 16 x 36	1050 x 400 x 893	05N_-E423616	912	–
36 x 16 x 36	900 x 400 x 893	05N_-E363616	862	–

Specify the accent color (A, S). To be used with 1½" surfaces.



Wall-mounted hutches with laminate doors and pigeonholes



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Hanger bar included for wall-mount installation.


72 x 16 x 22	1800 x 400 x 567	01N_-EM722216PD	2,144	–
66 x 16 x 22	1650 x 400 x 567	01N_-EM662216PD	2,062	–
60 x 16 x 22	1500 x 400 x 567	01N_-EM602216PD	1,983	–
54 x 16 x 22	1350 x 400 x 567	01N_-EM542216PD	1,904	–
48 x 16 x 22	1200 x 400 x 567	01N_-EM482216PD	1,821	–
42 x 16 x 22	1050 x 400 x 567	01N_-EM422216PD	1,725	–
36 x 16 x 22	900 x 400 x 567	01N_-EM362216PD	1,640	–

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	05N_-EM722216PD	2,322	–
66 x 16 x 22	1650 x 400 x 580	05N_-EM662216PD	2,241	–
60 x 16 x 22	1500 x 400 x 580	05N_-EM602216PD	2,161	–
54 x 16 x 22	1350 x 400 x 580	05N_-EM542216PD	2,081	–
48 x 16 x 22	1200 x 400 x 580	05N_-EM482216PD	1,959	–
42 x 16 x 22	1050 x 400 x 580	05N_-EM422216PD	1,869	–
36 x 16 x 22	900 x 400 x 580	05N_-EM362216PD	1,780	–

Specify the accent color (A, S). To be used with 1½" surfaces.

Wall-mounted hutches with translucent doors and pigeonholes



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Hanger bar included for wall-mount installation.


72 x 16 x 22	1800 x 400 x 567	01NS-EM722216TD	2,973	–
66 x 16 x 22	1650 x 400 x 567	01NS-EM662216TD	2,894	–
60 x 16 x 22	1500 x 400 x 567	01NS-EM602216TD	2,812	–
54 x 16 x 22	1350 x 400 x 567	01NS-EM542216TD	2,523	–
48 x 16 x 22	1200 x 400 x 567	01NS-EM482216TD	2,442	–
42 x 16 x 22	1050 x 400 x 567	01NS-EM422216TD	2,144	–
36 x 16 x 22	900 x 400 x 567	01NS-EM362216TD	2,057	–

Accent color S. To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	05NS-EM722216TD	3,152	–
66 x 16 x 22	1650 x 400 x 580	05NS-EM662216TD	3,070	–
60 x 16 x 22	1500 x 400 x 580	05NS-EM602216TD	2,991	–
54 x 16 x 22	1350 x 400 x 580	05NS-EM542216TD	2,701	–
48 x 16 x 22	1200 x 400 x 580	05NS-EM482216TD	2,577	–
42 x 16 x 22	1050 x 400 x 580	05NS-EM422216TD	2,281	–
36 x 16 x 22	900 x 400 x 580	05NS-EM362216TD	2,199	–

Accent color S. To be used with 1½" surfaces.

Wall-mounted hutches with doors



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Adjustable shelf. Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Hanger bar included for wall-mount installation.


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 16 x 22	1800 x 400 x 567	01N_-EM722216P	1,793	–
66 x 16 x 22	1650 x 400 x 567	01N_-EM662216P	1,710	–
60 x 16 x 22	1500 x 400 x 567	01N_-EM602216P	1,633	–
54 x 16 x 22	1350 x 400 x 567	01N_-EM542216P	1,551	–
48 x 16 x 22	1200 x 400 x 567	01N_-EM482216P	1,474	–
42 x 16 x 22	1050 x 400 x 567	01N_-EM422216P	1,368	–
36 x 16 x 22	900 x 400 x 567	01N_-EM362216P	1,292	–

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	05N_-EM722216P	1,976	–
66 x 16 x 22	1650 x 400 x 580	05N_-EM662216P	1,881	–
60 x 16 x 22	1500 x 400 x 580	05N_-EM602216P	1,809	–
54 x 16 x 22	1350 x 400 x 580	05N_-EM542216P	1,725	–
48 x 16 x 22	1200 x 400 x 580	05N_-EM482216P	1,611	–
42 x 16 x 22	1050 x 400 x 580	05N_-EM422216P	1,520	–
36 x 16 x 22	900 x 400 x 580	05N_-EM362216P	1,428	–

Specify the accent color (A, S). To be used with 1½" surfaces.

Wall-mounted hutches with translucent doors



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 107. Hanger bar included for wall-mount installation.


72 x 16 x 22	1800 x 400 x 567	01NS-EM722216T	2,257	–
66 x 16 x 22	1650 x 400 x 567	01NS-EM662216T	2,175	–
60 x 16 x 22	1500 x 400 x 567	01NS-EM602216T	2,095	–
54 x 16 x 22	1350 x 400 x 567	01NS-EM542216T	1,814	–
48 x 16 x 22	1200 x 400 x 567	01NS-EM482216T	1,772	–
42 x 16 x 22	1050 x 400 x 567	01NS-EM422216T	1,459	–
36 x 16 x 22	900 x 400 x 567	01NS-EM362216T	1,345	–

Accent color S. To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	05NS-EM722216T	2,433	–
66 x 16 x 22	1650 x 400 x 580	05NS-EM662216T	2,344	–
60 x 16 x 22	1500 x 400 x 580	05NS-EM602216T	2,264	–
54 x 16 x 22	1350 x 400 x 580	05NS-EM542216T	2,029	–
48 x 16 x 22	1200 x 400 x 580	05NS-EM482216T	1,910	–
42 x 16 x 22	1050 x 400 x 580	05NS-EM422216T	1,597	–
36 x 16 x 22	900 x 400 x 580	05NS-EM362216T	1,475	–

Accent color S. To be used with 1½" surfaces.

Wall-mounted hutches with flipper doors



72" to 54": 2 doors
48" to 36": 1 door

Wire dividers included (2 per door). 1 tone only. Can accommodate a tackboard, refer to page 107. Hanger bar included for wall-mount installation.

72 x 16 x 17	1800 x 400 x 468	0NN_-EM721716D	1,426	–
66 x 16 x 17	1650 x 400 x 468	0NN_-EM661716D	1,345	–
60 x 16 x 17	1500 x 400 x 468	0NN_-EM601716D	1,264	–
54 x 16 x 17	1350 x 400 x 468	0NN_-EM541716D	1,182	–
48 x 16 x 17	1200 x 400 x 468	0NN_-EM481716D	1,152	–
42 x 16 x 17	1050 x 400 x 468	0NN_-EM421716D	1,047	–
36 x 16 x 17	900 x 400 x 468	0NN_-EM361716D	926	–

Specify the accent color (A, S).

Modular pedestal



2 box drawers, 1 file drawer with suspension bar. Lock. Must be installed under a work surface. 1 tone only.

15 x 18 x 28	388 x 448 x 713	0N_-P1518UFL	1,211	–
--------------	-----------------	--------------	-------	---

Specify the handle code (B, L, Z). Specify the accent color (A, S).

Modular pedestal













2 file drawers with suspension bars. Lock. Must be installed under a work surface. 1 tone only.

15 x 18 x 28	388 x 448 x 713	0N_-P1518FFL	1,138	–
--------------	-----------------	--------------	-------	---

Specify the handle code (B, L, Z). Specify the accent color (A, S).



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Hanging pedestal 	<i>1 box drawer, 1 file drawer with suspension bar. Lock. Must be installed under a work surface. 1 tone only.</i>				
	15 x 17½ x 19	388 x 448 x 503	ON__-F	973	—
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Modular lateral files 	<i>2 file drawers with suspension bars. Lock. Goes under a work surface. 1 tone only.</i>				
	36 x 18 x 28	900 x 448 x 713	ON__-1836FL	1,419	—
	30 x 18 x 28	750 x 448 x 713	ON__-1830FL	1,345	—
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Combined modular pedestals 	<i>2 box drawers, 2 file drawers with suspension bars. Goes under a work surface. 1 tone only.</i>				
	36 x 18 x 28	900 x 448 x 713	ON__-1836COL	1,821	—
	30 x 18 x 28	750 x 448 x 713	ON__-1830COL	1,669	—
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Combined modular pedestals 	<i>2 box drawers, 2 file drawers with suspension bars. Goes under a work surface. 1 tone only.</i>				
	36 x 18 x 28	900 x 448 x 713	ON__-C01836L	1,821	—
	30 x 18 x 28	750 x 448 x 713	ON__-C01830L	1,669	—
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Modular bookcase with doors 	<i>1 adjustable shelf. Lock. Goes under a work surface. 1 tone only.</i>				
	36 x 18 x 28	900 x 448 x 713	ON__-1836BL	1,114	—
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Mobile pedestals 	<i>2 box drawers, 1 file drawer with suspension bar. Brakes on front casters. Pencil tray. Lock. Fits under a work surface. 1 tone only.</i>				
	15 x 28 x 27	388 x 700 x 689	ON__-MP1528UF	1,322	—
	15 x 18 x 27	388 x 450 x 704	ON__-MP1518UF	1,306	—
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Mobile pedestals 	<i>1 box drawer, 1 file drawer with suspension bar. Brakes on front casters. Pencil tray. Lock. Fits under a work surface. 1 tone only.</i>				
	15 x 28 x 21½	388 x 700 x 527	ON__-MP1528F	1,289	—
	15 x 18 x 21½	388 x 450 x 527	ON__-MP1518F	1,256	—
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Lateral files 	<i>2 file drawers with suspension bars. Lock. Full-width wire access. Optional counterweights to meet BIFMA standards, refer to page 108.</i>				
	36 x 24 x 29	900 x 600 x 738	O___-2436LF	1,506	1,821
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	36 x 24 x 29½	900 x 600 x 751	O___-2436LF	1,669	2,008
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Combined pedestals 	<i>2 box drawers, 2 file drawers with suspension bars. Full-width wire access. Lock.</i>				
	36 x 24 x 29	900 x 600 x 738	O___-2436CO	1,910	2,047
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	36 x 24 x 29½	900 x 600 x 751	O___-2436CO	2,106	2,257
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Combined pedestals 	<i>2 box drawers, 2 file drawers with suspension bars. Full-width wire access. Lock.</i>				
	36 x 24 x 29	900 x 600 x 738	O___-C02436	1,910	2,047
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	36 x 24 x 29½	900 x 600 x 751	O___-C02436	2,106	2,257
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				

Bookcases units with doors




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
36 x 24 x 29	900 x 600 x 738	O___-2436B	1,306	1,572

1 adjustable shelf. Full-width wire access. Lock.
Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

36 x 24 x 29½	900 x 600 x 751	O___-2436B	1,467	1,766
---------------	-----------------	------------	-------	-------

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Storage cabinets with laminate doors




<i>3 adjustable shelves. 1 fixed shelf. Lock. To be used with 1" surfaces.</i>				
36 x 24 x 73	900 x 600 x 1834	O1__-243673B	2,371	—
36 x 24 x 65	900 x 600 x 1632	O1__-243665B	2,281	—

To be used with 1½" surfaces.

36 x 24 x 73	900 x 600 x 1847	O5__-243673B	2,604	—
36 x 24 x 65	900 x 600 x 1645	O5__-243665B	2,514	—

Specify the handle code (B, L, Z). Specify the accent color (A, S).

Storage cabinets with translucent doors




<i>3 adjustable shelves. 1 full-width fixed shelf. Lock. To be used with 1" surfaces.</i>				
36 x 24 x 73	900 x 600 x 1834	O1_S-243673BT	3,440	—
36 x 24 x 65	900 x 600 x 1632	O1_S-243665BT	3,359	—

To be used with 1½" surfaces.

36 x 24 x 73	900 x 600 x 1847	O5_S-243673BT	3,685	—
36 x 24 x 65	900 x 600 x 1645	O5_S-243665BT	3,591	—

Specify the handle code (B, Z).

Wardrobe / storage cabinets with laminate doors



Clothes hanger bar and 1 fixed shelf on wardrobe side (15% W). 4 adjustable shelves. Lock. To be used with 1" surfaces.


36 x 24 x 73	900 x 600 x 1834	O1__-243673BC	2,281	—
36 x 24 x 65	900 x 600 x 1632	O1__-243665BC	2,191	—

To be used with 1½" surfaces.

36 x 24 x 73	900 x 600 x 1847	O5__-243673BC	2,514	—
36 x 24 x 65	900 x 600 x 1645	O5__-243665BC	2,433	—

Specify the handle code (B, L, Z). Specify the accent color (A, S).

Wardrobe / storage cabinets with translucent doors



Clothes hanger bar and 1 fixed shelf on wardrobe side (15% W). 4 adjustable shelves. Lock. To be used with 1" surfaces.

36 x 24 x 73	900 x 600 x 1834	O1_S-243673BCT	3,612	—
36 x 24 x 65	900 x 600 x 1632	O1_S-243665BCT	3,521	—

To be used with 1½" surfaces.

36 x 24 x 73	900 x 600 x 1847	O5_S-243673BCT	3,845	—
36 x 24 x 65	900 x 600 x 1645	O5_S-243665BCT	3,764	—

Specify the handle code (B, Z).

Storage / lateral file cabinets with laminate doors



2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers. To be used with 1" surfaces.


36 x 24 x 73	900 x 600 x 1834	O1__-243673LFB	2,774	—
36 x 24 x 65	900 x 600 x 1632	O1__-243665LFB	2,551	—

To be used with 1½" surfaces.

36 x 24 x 73	900 x 600 x 1847	O5__-243673LFB	2,991	—
36 x 24 x 65	900 x 600 x 1645	O5__-243665LFB	2,774	—

Specify the handle code (B, L, Z). Specify the accent color (A, S).

Storage / lateral file cabinets with translucent doors



2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers. To be used with 1" surfaces.

36 x 24 x 73	900 x 600 x 1834	O1_S-243673LFBT	3,433	—
36 x 24 x 65	900 x 600 x 1632	O1_S-243665LFBT	3,227	—


To be used with 1½" surfaces.

36 x 24 x 73	900 x 600 x 1847	O5_S-243673LFBT	3,650	—
36 x 24 x 65	900 x 600 x 1645	O5_S-243665LFBT	3,433	—


Specify the handle code (B, Z).




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Wardrobe / storage cabinets with laminate doors	<i>2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18 3/8" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1834	01__-243673UFB	2,949	—
	36 x 24 x 65	900 x 600 x 1632	01__-243665UFB	2,739	—
	<i>To be used with 1 1/2" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1847	05__-243673UFB	3,166	—
	36 x 24 x 65	900 x 600 x 1645	05__-243665UFB	2,949	—
	Specify the handle code (B, Z). Specify the accent color (A, S).				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Combined storage cabinets with translucent doors	<i>2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18 3/8" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1834	01_S-243673UFBT	3,942	—
	36 x 24 x 65	900 x 600 x 1632	01_S-243665UFBT	3,740	—
	<i>To be used with 1 1/2" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1847	05_S-243673UFBT	4,167	—
	36 x 24 x 65	900 x 600 x 1645	05_S-243665UFBT	3,942	—
	Specify the handle code (B, Z).				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Wardrobe / storage cabinets with laminate doors	<i>2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18 3/8" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1834	01__-243673BUF	2,949	—
	36 x 24 x 65	900 x 600 x 1632	01__-243665BUF	2,739	—
	<i>To be used with 1 1/2" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1847	05__-243673BUF	3,166	—
	36 x 24 x 65	900 x 600 x 1645	05__-243665BUF	2,949	—
	Specify the handle code (B, Z). Specify the accent color (A, S).				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Combined storage cabinets with translucent doors	<i>2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18 3/8" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1834	01_S-243673BUFT	3,942	—
	36 x 24 x 65	900 x 600 x 1632	01_S-243665BUFT	3,740	—
	<i>To be used with 1 1/2" surfaces.</i>				
	36 x 24 x 73	900 x 600 x 1847	05_S-243673BUFT	4,167	—
	36 x 24 x 65	900 x 600 x 1645	05_S-243665BUFT	3,942	—
	Specify the handle code (B, Z).				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage / lateral file cabinets with laminate door	<i>2 adjustable shelves. 2 file drawers with suspension bars. Reversible door. Lock on drawers. To be used with 1" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1834	01__-242473FB	2,231	—
	24 x 24 x 65	600 x 600 x 1632	01__-242465FB	2,135	—
	<i>To be used with 1 1/2" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1847	05__-242473FB	2,410	—
	24 x 24 x 65	600 x 600 x 1645	05__-242465FB	2,305	—
	Specify the handle code (B, Z). Specify the accent color (A, S).				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage / lateral file cabinets with translucent door	<i>2 adjustable shelves. 2 file drawers with suspension bars. Reversible door. Lock on drawers. To be used with 1" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1834	01_S-242473FBT	2,894	—
	24 x 24 x 65	600 x 600 x 1632	01_S-242465FBT	2,797	—
	<i>To be used with 1 1/2" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1847	05_S-242473FBT	3,070	—
	24 x 24 x 65	600 x 600 x 1645	05_S-242465FBT	2,973	—
	Specify the handle code (B, Z).				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Wardrobe / storage cabinets with laminate door	<i>Clothes hanger bar and 1 fixed shelf on wardrobe side (10 1/4" W). 4 adjustable shelves. Lock. To be used with 1" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1834	01__-242473BC	2,063	—
	24 x 24 x 65	600 x 600 x 1632	01__-242465BC	1,966	—
	<i>To be used with 1 1/2" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1847	05__-242473BC	2,290	—
	24 x 24 x 65	600 x 600 x 1645	05__-242465BC	2,179	—
	Specify the handle code (B, Z). Specify the accent color (A, S). Specify opening at the end of the code: on right (R) or on left (L).				



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Wardrobe / storage cabinets with translucent door	<i>Clothes hanger bar and 1 fixed shelf on wardrobe side (10 1/4" W). 4 adjustable shelves. Lock. To be used with 1" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1834	01_S-242473BCT	2,387	—
	24 x 24 x 65	600 x 600 x 1632	01_S-242465BCT	2,296	—
	<i>To be used with 1 1/2" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1847	05_S-242473BCT	2,551	—
	24 x 24 x 65	600 x 600 x 1645	05_S-242465BCT	2,474	—
	Specify the handle code (B, Z). Specify opening at the end of the code: on right (R) or on left (L).				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage cabinets with laminate door	<i>4 adjustable shelves. Lock. To be used with 1" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1834	01__-242473B	2,063	—
	24 x 24 x 65	600 x 600 x 1632	01__-242465B	1,966	—
	<i>To be used with 1 1/2" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1847	05__-242473B	2,290	—
	24 x 24 x 65	600 x 600 x 1645	05__-242465B	2,179	—
	Specify the handle code (B, Z). Specify the accent color (A, S). Specify opening at the end of the code: on right (R) or on left (L).				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage cabinets with translucent doors	<i>4 adjustable shelves. Lock. To be used with 1" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1834	01_S-242473BT	2,387	—
	24 x 24 x 65	600 x 600 x 1632	01_S-242465BT	2,296	—
	<i>To be used with 1 1/2" surfaces.</i>				
	24 x 24 x 73	600 x 600 x 1847	05_S-242473BT	2,551	—
	24 x 24 x 65	600 x 600 x 1645	05_S-242465BT	2,474	—
	Specify the handle code (B, Z). Specify opening at the end of the code: on right (R) or on left (L).				




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Open bookcases	<i>73" H: 4 adjustable shelves. 65" H: 4 adjustable shelves. 48" H: 2 adjustable shelves. To be used with 1" surfaces.</i>				
	36 x 14 x 73	900 x 350 x 1834	01NN-B367314	1,227	—
	36 x 14 x 65	900 x 350 x 1632	01NN-B366514	1,119	—
	36 x 14 x 48	900 x 350 x 1225	01NN-B364814	993	—
	<i>To be used with 1 1/2" surfaces.</i>				
	36 x 14 x 73	900 x 350 x 1847	05NN-B367314	1,364	—
	36 x 14 x 65	900 x 350 x 1645	05NN-B366514	1,289	—
	36 x 14 x 48	900 x 350 x 1238	05NN-B364814	1,152	—




	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left personal storage towers	<i>1 box drawer, 2 file drawers with suspension bars. Adjustable shelf on 57" H only. Wardrobe with clothes / hanger bar (7 1/4" W). Lock for the two file drawers. Lock on door.</i>				
	24 x 24 x 57	600 x 600 x 1437	0N__-PB242457	2,805	—
	24 x 24 x 49	600 x 600 x 1234	0N__-PB242449	2,676	—
	Specify the handle code (B, Z). Specify the accent color (A, S).				







	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right personal storage towers	<i>1 box drawer, 2 file drawers with suspension bars. Adjustable shelf on 57" H only. Wardrobe with clothes / hanger bar (7 1/4" W). Lock for the two file drawers. Lock on door.</i>				
	24 x 24 x 57	600 x 600 x 1437	0N__-P242457B	2,805	—
	24 x 24 x 49	600 x 600 x 1234	0N__-P242449B	2,676	—
	Specify the handle code (B, Z). Specify the accent color (A, S).				








	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Round table tops	<i>1½" thick.</i>				
	48 x 48 x 1½	1200 x 1200 x 38	0_NN-R48	885	1,161
	42 x 42 x 1½	1050 x 1050 x 38	0_NN-R42	766	1,008
Specify the surface type (5, 6).					


Cross base	<i>1½" laminate thick base. For 48" diameter round table tops.</i>				
	33 x 33 x 28	825 x 825 x 713	LGC-CR33	669	—
					



Cross base	<i>1½" laminate thick base. For 42" diameter round table tops.</i>				
	27 x 27 x 28	680 x 680 x 713	LGC-CR27	590	—
					


6" diameter steel leg.	<i>Anthracite Grey (GAN) or Silver (ARS) steel. Specify the finish.</i>				
	6 x 6 x 28	150 x 150 x 710	LGC-TL	396	—


Serving carts	<i>1 sliding shelf, 11½" extension. 2 box drawers. 2 doors with 1 adjustable shelf. 4 casters, 2 with brakes. Grommet in the back.</i>				
	36 x 21 x 36	900 x 520 x 908	0_ _ _-MS213636	2,014	2,620
Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).					
	36 x 21 x 36½	900 x 520 x 921	0_ _ _-MS213636	2,224	2,894
Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).					


Serving carts	<i>1 sliding shelf, 11½" extension. 1 box drawer. 1 door with 1 adjustable shelf. 4 casters, 2 with brakes. Grommet in the back.</i>				
	20 x 21 x 36	500 x 520 x 908	0_ _ _-MS212036	1,298	1,690
Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).					
	20 x 21 x 36½	500 x 520 x 921	0_ _ _-MS212036	1,499	1,959
Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).					

Marker boards	<i>180° hinges. Board surface: white high-pressure laminate, non magnetic, for use with dry-erase markers. Eraser tray along bottom of board. Inside face of doors covered in natural cork.</i>				
	55 x 5 x 41	1368 x 130 x 1049	01_ _-VBX4054	2,095	—
Specify the handle code (B, L, Z). Specify the accent color (A, S).					
	55 x 5 x 42¼	1368 x 130 x 1075	05_ _-VBX4054	2,296	—
Specify the handle code (B, L, Z). Specify the accent color (A, S).					

Coffee tables	<i>Specify the surface type (1, 2).</i>				
	22 x 22 x 18	550 x 550 x 438	0_NN-ST222218	570	661
	22 x 22 x 18½	550 x 550 x 451	0_NN-ST222218	645	831
Specify the surface type (5, 6).					

Additional full-width legs	<i>1 tone only. For AT, DT and CM tables.</i>				
	24 x 1 x 27½	598 x 25 x 698	ONNN-L24	203	—
	30 x 1 x 27½	748 x 25 x 698	ONNN-L30	217	—

Additional full-width legs with wire access	<i>1 tone only. For AT, DT and CM tables.</i>				
	24 x 1 x 27½	598 x 25 x 698	ONNN-L24D	203	—
	30 x 1 x 27½	748 x 25 x 698	ONNN-L30D	217	—

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Additional recessed leg	<i>1 tone only. For AT, DT and CM tables.</i>				
	13 x 1 x 27½	340 x 25 x 698	ONNN-L12	168	—